
Product Datasheet

vkleadinglight.gr

Akrovatis


VK/04491/PE/B/W

Ceiling Led light, 220-240V, 5W+15W, 3000K, 350lm+533lm, CRI>90, IP20, 165x28x8.6cm, black



IP20


Dimensions	Gallery	Downloads












FILES


FOTO


CE

VK Leading Light
Since 1978













Ceiling led lights
Acrovatis

Technical Specifications	
Kelvin	3000K
Power	5W+15W
Voltage	220-240V
Extra	Installation Surface-Mounted
Fitting	LED Ceiling
Type	Light
Safety class	
Light source	Bridgelux SMD
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	20.000hrs
Driver	Yes, Meanwell
Working temperature	-20-45°C
PAGE	42 Decorative 2024
NICKNAME	Acrovatis

Physical Specifications	
Rotation	90°
Color	Black sand
Material	Aluminium
Width	28cm
Length	165cm
Height	8.6cm
Net weight of product (kg)	3.2
Gross weight with inner box (kg)	5.5

Illumination Data	
Lumen	350lm+533lm
Beam angle	24°+120°
Lighting direction	

VK Leading Light
Since 1978

Packing Info	
Pcs/carton	1pc

Certification & Warranty	
Guarantee	5 years

Energy Label

